

# Management of Spasticity in Children with Cerebral Palsy, A National Randomised Controlled Study on Intrathecal Baclofen

## References

- Albright, AL. *Baclofen in the treatment of cerebral palsy*. Journal of Child Neurology, 1996; 11, 77-83.
- Albright A L, Barron W B, Fasick M P, Polinko P, Janosky J, 1993. *Continuous intrathecal baclofen infusion for spasticity of cerebral origin*. Journal of the American Medical Association, 270 2475-2477.
- Armstrong R W, Steinbok P, Cochrane D D, Kube R N, Fife S E, Farrell K. 1997. Intrathecally administered Baclofen for treatment of children with spasticity of cerebral origin. Journal of Neurosurgery, 87, 409 - 414.
- Creedon S D, Dijkers M P, Hinderer S R, 1997. *Intrathecal Baclofen for severe spasticity: a meta-analysis*. International Journal of Rehabilitation and Health, 64, 17-25.
- Fehlings D, Rang M, Glazier J, Steele C. *An evaluation of Botulinum Toxin A toxin injections to improve upper extremity function in children with hemiplegic cerebral palsy*. J.Pediatr. 2000; 137,331-337.
- Gerszten P C, Albright A L, Barry M J. 1997. *Effect on ambulation of continuous intrathecal baclofen infusion*. Journal of Neurology, 2 (1) 40 - 44.
- Graham HK, Aoki KR, Ramo IA. *Recommendations for the use of Botulinum A in the management of children with cerebral palsy*. Gait and Posture, 2000,11, 67-69.
- Krach L, 1999 *Intrathecal baclofen significantly reduces spasticity and improves functioning, A Paediatric Perspective*, Gillette Children's Speciality Healthcare, Vol. 8 No. 6
- McLaughlin J, Bjornson K, Temkin M, Steinbok P, Wright V, Reiner A, Roberts T, Drake J, O'Donnell M, Rosenbaum P, Barber J, Ferrel A., *Selective Dorsal Rhizotomy; Meta Analysis of three randomised controlled trials*. Developmental Medicine and Child Neurology, 2002;44, 17-25.
- Morton RE, Murray-Leslie C F. *The role of Botulinum Toxin in the management of cerebral palsy*. Current Paediatrics, 2001, 11, 235-239.
- Novacheck T F, Stout J L, and Terroo R. 2000. *Reliability and Validity of the Gillette Functional Assessment Questionnaire as an outcome measure in children with walking disabilities*. Journal of Pediatric Orthopaedics 20, 75 - 81.
- Porter B 1997. *A Review of intrathecal baclofen in the management of spasticity*. British Journal of Nursing, Vol. 6 No 5, 253 - 262
- Sampson F C, Hayward A, Evans G, Touch S, Morton R E., Vloeberghs M, Playford D, Collett B J, Critchley P, 2000, *The effectiveness of intrathecal Baclofen in the management of patients with severe spasticity*. Trent Institute for Health Services Research. Universities of Leicester, Nottingham and Sheffield; guidance for purchasers 00/01, editor Payne N
- Steinbok P, Daneshvar H, Evans D, Kestle JR. *Cost analysis of intrathecal baclofen versus selective posterior rhizotomy in the treatment of spastic quadriplegia associated with cerebral palsy*. Journal of Neurosurgery, 1995; 87, 415-419.
- M. Vloeberghs, M Cartmill, S Bassi. *The Use of Intrathecal Baclofen in the Management of Spasticity in Children with Cerebral Palsy*. Child's Nervous System, 2002; 18/8:540
- M. Vloeberghs, J. Fitzgerald, M. Tsegaye, M. Cartmill. *Aspects of the treatment of spasticity due to cerebral palsy in children with Intrathecal Baclofen*. Child's Nervous System (2003), Vol. 19, no 7-8, 634